

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Johnston et al)
Ser. No.: Continuation of SN 10/008,671)
Filed: July 25, 2003)
Title: Carbon Monoxide and Smoke)
Detection Apparatus)
Group Art Unit: Not Assigned)
Examiner: Not Assigned)
Docket No.: 8365/90247 (BRK-P-0393 US))

RECEIVED
CENTRAL FAX CENTER

FEB 19 2004

OFFICIAL

CHANGE OF CORRESPONDENCE ADDRESS
PURSUANT TO 37 CFR 1.33

MS - Correspondence Change
Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Undersigned attorney is hereby advising the United States Patent Office of a change in correspondence address in the above-identified application. All correspondence should be addressed to Paul M. Vargo at the following law firm:

WELSH & KATZ, LTD.
120 South Riverside Plaza, 22nd Floor
Chicago, Illinois 60606
(312) 655-1500 (telephone)
(312) 655-1501 (facsimile)
FIRM CUSTOMER NO. 24628

Respectfully submitted,

BY


Paul M. Vargo, Reg. No. 29,116

WELSH & KATZ, LTD.
120 South Riverside Plaza, 22nd Floor
Chicago, Illinois 60606
(312) 655-1500